## Late Stage Colorectal Cancer Incidence, by Sex and Age, Maine, 2007-2009

Age Group	Count	Crude Rate		Age-adjusted Rate	
		Rate	95% CI	Rate	95% CI
Maine total	1,171	29.6	27.9 - 31.4	23.9	22.5 - 25.3
Sex					
Female	603	29.8	27.5 - 32.3	21.9	20.1 - 23.7
Male	568	29.4	27.0 - 31.9	26.1	24.0 - 28.4
Age					
15-44 years	61	4.1	3.1 - 5.2	NApp	NApp
45-49 years	56	17.0	12.9 - 22.1	NApp	NApp
50-54 years	88	27.2	21.8 - 33.5	NApp	NApp
55-59 years	108	36.8	30.2 - 44.4	NApp	NApp
60-64 years	121	50.4	41.8 - 60.2	NApp	NApp
65-69 years	128	73.2	61.0 - 87.0	NApp	NApp
70-74 years	144	103.9	87.6 - 122.3	NApp	NApp
75-79 years	158	135.1	114.9 - 157.9	NApp	NApp
80-84 years	144	160.0	134.9 - 188.4	NApp	NApp
85+ years	163	196.3	167.3 - 228.8	NApp	NApp

Data Source: Maine Cancer Registry, November 2011 NPCR data submission.

Count: Number of cases diagnosed with malignant cancer during that time period.

Late-Stage: Cancers with 'regional' or 'distant' spread according to 2000 Derived Summary Stage criteria.

Colorectal Cancer: SEER cancer site recodes: 21041-21049,21051,21052 ( ICD-O-3 codes C180-C189,C260,C199,C209).

Crude rates are new cases per 100,000 population.

95% CI: 95% confidence interval of the rate.

Rates are calculated using SEER\*Stat Version 7.0.5.

NApp: Not applicableage-adjusted rates are not calculated for age-specific groups.